

info@debon-trailers.com

www.debontrailers.com

















Outside dimensions Inside dimensions

- Single axle braked 1300kg
 Galvanised steel chassis with aluminium extrusion framework
 Roof and front one solid fiberglass part

- Roof and front one solid fiber
 Plywood side walls
 Anti slip multiplex floor
 Shockproof ABS mudguards
 Automatic jockey wheel
- with manoeuvring handle
 Aluminium two-way rear opening door/ramp
- Protected lights
 Tie-rings x4
 Interior light
 2 prop stands

- Wheel chocks

OPTIONALS

- Aluminium side walls
- Lateral door
- Shock absorbers





Unladen weight = 370 kg Max. gross weight = 750 to 1300 kg

Colors




















- Single axle braked 1300kgPullman 2 Suspension (Low chassis
- and galvanised suspension system)

 Galvanised steel chassis with aluminium extrusion framework
- Roof and front one solid fiberglass part
 Plywood side walls

- Anti slip multiplex floorShockproof ABS mudguards
- Automatic jockey wheel with manoeuvring handle
- Aluminium two-way rear opening door/ramp
- Protected lights
- 2 prop standsTie-rings x4
- Interior light
- Wheel chocks



OPTIONALS

- Aluminium side walls
- Sandwich side walls + lateral flap
- Lateral door



Unladen weight = 460 kg Max. gross weight = 750 to 1300 kg

Inside dimensions


























- Single axle braked 1300kgPullman 2 Suspension (Low chassis and galvanised suspension system)
- Galvanised steel chassis with aluminium extrusion framework

 Total height 2,05m (fits in the average garage)

- Total height 2,05m (fits in the average garage)
 Fiberglass bodywork
 Anti slip multiplex floor
 Skockproof ABS mudguards
 Automatic jockey wheel with manoeuvring handle
 Aluminium two-way rear opening door/ramp
- Protected lights
- 2 prop stands
- Tie-rings x4
- Interior lightWheel chocks

OPTIONALS

■ Lateral door


























- Tandem-axle braked Pullman 2 Suspension (Low chassis and galvanised suspension system)
- Galvanised steel chassis with aluminium extrusion framework
- Roof and front one solid fiberglass part
- Plywood side walls

- Prywood side walls
 Anti slip aluminium floor, 5 years warranty
 Shockproof ABS mudguards
 Automatic jockey wheel with manoeuvring handle
 Aluminiant two-way rear opening door/ramp
- Protected lights
- Tie-rings x6
- Interior light
- Wheel chocks

OPTIONALS





- Aluminium side walls
- Sandwich side walls + lateral flap
- Lateral door



Unladen weight = 625 kg Max. gross weight = 1100 to 2000 kg

Inside dimensions

Colors




















- Tandem-axle braked Pullman 2 Suspension (Low chassis and galvanised suspension system)
- Galvanised steel chassis with aluminium extrusion framework
- Roof and front one solid fiberglass part

- Roof and front one solid fiberglass part
 Anti slip aluminium floor
 Aluminium side walls, 5 years warranty
 Shockproof ABS mudguards
 Automatic jockey wheel with manoeuvring handle
 Aluminium two-way rear opening door/ramp
- Protected lights
- Tie-rings x6
 Interior light
- Wheel chocksLateral door







Outside dimensions Inside dimensions




















3760





- Galvanised steel chassis with aluminium extrusion framework
- Roof and front one solid fiberglass part

- Roof and front one solid fiberglass part
 Anti slip aluminium floor
 Aluminium side walls, 5 years warranty
 Shockproof ABS mudguards
 Automatic jockey wheel with manoeuvring handle
 Aluminium two-way rear opening door/ramp
- Protected lights
- Tie-rings x8 Interior light
- Wheel chocks
- Lateral door







Unladen weight = 705 kg Max. gross weight = 1400 to 2600 kg

Colors











OPTIONS

CONSTRUCTION



Lateral door
Roadster 255, Roadster 300, Cargo 1300 and Roadster 500



Lateral flap
Roadster 300 and Roadster 500

LATERAL FLAP



Frame inside
Cargo 1300



Alu rims 14'
All, except C255



Spare wheel + bracket

ACCESSOIRIES



Loading ramps 2000 kg capacity 3000 kg capacity

January 2021 - Non-binding documents



■ Galvanised steady stand



Safety lock



Additional security lock



Interior fittings
Upon request, for further information conctact your local Debon dealer

info@debon-trailers.com www.debontrailers.com



Your dealer